

4" Coaxial Ceiling Loudspeaker(2.5W-5W-10W-20W)

Features

- Built-in 100v/70v transformer
- In-ceiling type loudspeaker
- 4" +1.5" coaxial speaker unit
- Power output 2.5W, 5W, 10W & 20W @100V
- Line input: 100V, 70V or 8 Ω
- Metal grille, ABS baffle & ABS back cover
- Paint in white color
- Secure flush mount installation



Description

The T-205P is a ceiling speaker built-in 70v/100v transformer. The 70v/100v transformer technique reduces line losses on longer distance and allows easy parallel connection of multiple loudspeakers.

The built-in 4"+1.5" coaxial speaker driver is designed of wide frequency response 110-16kHz, and its various power output from 2.5W, 5W, 10W to 20W could meet different room size applications. The power taps is convenient to switch the input from 100V to 70V or 8Ω , thus this speaker support both high impedance input and low impedance input use. The metal grille, ABS baffle and ABS back cover are painted in attractive white color. Its flush mount type makes the easy and secure installation.

It is ideal choice for industrial and commercial applications in hotel, school, office and factory where background music and paging is needed.

Specification

Model	T-205P
Power Taps @100V	2.5W, 5W, 10W, 20W
Power Taps @70V	1.25W, 2.5W, 5W, 10W, 20W
Transformer Impedance	Black: Com Red: 4KΩ/2KΩ/1KΩ/500Ω/240Ω
Input	70V/100V/8Ω
SPL(1W/1M)	88dB
Max. SPL (Rated W/1M)	101dB
Frequency Response (-10dB)	110-16KHz
Finish	Baffle: ABS, White Grille: Steel, White
Speaker Driver	4"x 1 1.5"x 1
Cutout Size	180mm
Dimensions	213 x 135mm
Weight	1.9Kg
Mounting	Flush-mount dog ears

Website: www.itc-pa.com.cn; Mail: info@itc-pa.com.cn






Appearance:



Direction Diagram:



Frequency Response:

